

RECEIVED  
CENTRAL FAX CENTER

APR 02 2007

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Please cancel claims 1, 12 and 23 without prejudice.

Please add claims 46-61.

Please amend claims 2-5, 10, 13-16, 21, 24-26 and 30 as indicated below (material to be inserted is in **bold and underline**, material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[ ]]):

Listing of Claims:

1. (Cancelled)
2. (Withdrawn – Currently Amended) The fluid ejection device of claim [[1]] 6, wherein the predetermined distribution is characterized by a random distribution of nozzle sizes.
3. (Withdrawn - Currently Amended) The fluid ejection device of claim [[1]] 6, wherein the predetermined distribution is based on a uniform distribution of nozzle sizes.
4. (Currently Amended) The fluid ejection device of claim [[1]] 6, wherein the predetermined distribution is based on a normal distribution of nozzle sizes.
5. (Withdrawn - Currently Amended) The fluid ejection device of claim [[1]] 6, wherein the predetermined distribution is based on a binary distribution of nozzle sizes.

Page 2 - AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322

6. (Previously Presented) A fluid ejection device, comprising:

a die including a plurality of nozzles variously configured according to a predetermined distribution, the plurality of nozzles having a target mean drop volume and an actual mean drop volume wherein a subset of the plurality of nozzles are sized larger than others of the plurality of nozzles; and

a controller configured to set the actual mean drop volume provided by the plurality of nozzles to the target mean drop volume by selectively firing selected nozzles, wherein the controller decreases the actual mean drop volume to the target mean drop volume by selectively firing nozzles of the subset.

7. (Previously Presented) A fluid ejection device, comprising:

a die including a plurality of nozzles variously configured according to a predetermined distribution, the plurality of nozzles having a target mean drop volume and an actual mean drop volume wherein a subset of the plurality of nozzles are sized smaller than other of the plurality of nozzles; and

a controller configured to set the actual mean drop volume provided by the plurality of nozzles to the target mean drop volume by selectively firing selected nozzles, wherein the controller increases the actual mean drop volume to the target mean drop volume by selectively firing nozzles of the subset.

8-9. (Cancelled)

10. (Currently Amended) The fluid ejection device of claim [[1]] 6, wherein the plurality of nozzles are arranged on the die so that large nozzles are pseudorandomly intermixed with small nozzles.

Page 3 - AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322

11. (Cancelled)

12. (Cancelled)

13. (Withdrawn – Currently Amended) The fluid ejection system of claim [[12]] 17, wherein the predetermined distribution is characterized by a random distribution of nozzle sizes.

14. (Withdrawn - Currently Amended) The fluid ejection system of claim [[12]] 17, wherein the predetermined distribution is based on a uniform distribution of nozzle sizes.

15. (Currently Amended) The fluid ejection system of claim [[12]] 17, wherein the predetermined distribution is based on a normal distribution of nozzle sizes.

16. (Withdrawn - Currently Amended) The fluid ejection system of claim [[12]] 17, wherein the predetermined distribution is based on a binary distribution of nozzle sizes.

17. (Previously Presented) A fluid ejection system, comprising:

a die including a plurality of nozzles variously configured according to a predetermined distribution, the plurality of nozzles having a target mean drop volume and an actual mean drop volume wherein a subset of the plurality of nozzles are sized larger than others of the plurality of nozzles; and

a control system configured to set the actual mean drop volume provided by the plurality of nozzles to the target mean drop volume by selectively firing selected nozzles, wherein the control system decreases the actual mean drop volume to the target mean drop volume by selectively firing nozzles of the subset.

Page 4 - AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322

18. (Previously Presented) A fluid ejection system, comprising:

a die including a plurality of nozzles variously configured according to a predetermined distribution, the plurality of nozzles having a target mean drop volume and an actual mean drop volume wherein a subset of the plurality of nozzles are sized smaller than other of the plurality of nozzles; and

a control system configured to set the actual mean drop volume provided by the plurality of nozzles to the target mean drop volume by selectively firing selected nozzles, wherein the control system increases the actual mean drop volume to the target mean drop volume by selectively firing nozzles of the subset.

19. (Cancelled)

20. (Cancelled)

21. (Currently Amended) The fluid ejection system of claim [[12]] 17, wherein the plurality of nozzles are arranged on the die so that large nozzles are pseudorandomly intermixed with small nozzles.

22. (Cancelled)

23. (Cancelled)

24. (Withdrawn – Currently Amended) The fluid ejection device of claim [[23]] 27, wherein the predetermined distribution defines a uniform probability distribution of nozzle sizes.

25. (Currently Amended) The fluid ejection device of claim [[23]] 27, wherein the predetermined distribution is based on a normal probability distribution of nozzle sizes.

Page 5 -

AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322

26. (Withdrawn - Currently Amended) The fluid ejection device of claim [[23]]  
27, wherein the predetermined distribution defines a binary probability distribution of  
 nozzle sizes.

27. (Previously Presented) A fluid ejection device, comprising:

a die including a plurality of nozzles configured with various sizes, wherein the  
 size of each nozzle is selected according to a predetermined distribution that defines at  
 least a boundary interval of nozzle sizes and a probability distribution of nozzle sizes,  
 the plurality of nozzles having a target mean drop volume and an actual mean drop  
 volume wherein the boundary interval includes a subinterval of large intended nozzle  
 sizes; and

a control system configured to set the actual mean drop volume of the die to the  
 target mean drop volume by selectively firing selected nozzles of the die, wherein the  
 control system decreases the actual mean drop volume to the target mean drop volume  
 by selectively firing nozzles sized in the subinterval of large nozzle sizes.

28. (Previously Presented) A fluid ejection device, comprising:

a die including a plurality of nozzles configured with various sizes, wherein the  
 size of each nozzle is selected according to a predetermined distribution that defines at  
 least a boundary interval of nozzle sizes and a probability distribution of nozzle sizes,  
 the plurality of nozzles having a target mean drop volume and an actual mean drop  
 volume wherein the boundary interval includes a subinterval of small nozzle sizes; and

a control system configured to set the actual mean drop volume of the die to the target mean drop volume by selectively firing selected nozzles of the die, and wherein the control system increases the actual mean drop volume to the target mean drop volume by selectively firing nozzles sized in the subinterval of small nozzle sizes.

29. (Cancelled)

30. (Previously Presented) The fluid ejection device of claim [[23]] 27, wherein the plurality of nozzles are arranged on the die so that nozzles having large sizes are intermixed with nozzles having small sizes.

31-45. (Cancelled)

46. (New) The fluid ejection device of claim 7, wherein the predetermined distribution is characterized by a random distribution of nozzle sizes.

47. (New) The fluid ejection device of claim 7, wherein the predetermined distribution is based on a uniform distribution of nozzle sizes.

48. (New) The fluid ejection device of claim 7, wherein the predetermined distribution is based on a normal distribution of nozzle sizes.

49. (New) The fluid ejection device of claim 7, wherein the predetermined distribution is based on a binary distribution of nozzle sizes.

50. (New) The fluid ejection device of claim 7, wherein the plurality of nozzles are arranged on the die so that large nozzles are pseudorandomly intermixed with small nozzles.

51. (New) The fluid ejection system of claim 18, wherein the predetermined distribution is characterized by a random distribution of nozzle sizes.

Page 7 - AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322

52. (New) The fluid ejection system of claim 18, wherein the predetermined distribution is based on a uniform distribution of nozzle sizes.

53. (New) The fluid ejection system of claim 18, wherein the predetermined distribution is based on a normal distribution of nozzle sizes.

54. (New) The fluid ejection system of claim 18, wherein the predetermined distribution is based on a binary distribution of nozzle sizes.

55. (New) The fluid ejection system of claim 18, wherein the plurality of nozzles are arranged on the die so that large nozzles are pseudorandomly intermixed with small nozzles.

56. (New) The fluid ejection device of claim 28, wherein the predetermined distribution defines a random probability distribution of nozzle sizes.

57. (New) The fluid ejection device of claim 28, wherein the predetermined distribution defines a uniform probability distribution of nozzle sizes.

58. (New) The fluid ejection device of claim 28, wherein the predetermined distribution is based on a normal probability distribution of nozzle sizes.

59. (New) The fluid ejection device of claim 28, wherein the predetermined distribution defines a binary probability distribution of nozzle sizes.

60. (New) The fluid ejection device of claim 28, wherein the plurality of nozzles are arranged on the die so that nozzles having large sizes are intermixed with nozzles having small sizes.

61. (New) The fluid ejection device of claim 27, wherein the predetermined distribution defines a random probability distribution of nozzle sizes.

Page 8 - AMENDMENT  
Serial No. 10/769,252  
HP Docket No. 200207762-1  
KH Docket No. HPCS 322